UNIVAR USA INC. ISSUE DATE: 2009-10-09 Annotation:

> Material Safety Data Sheet Sodium Hypochlorite, 10-20% - Liquichlor Revision Date 10/09/2009

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sodium Hypochlorite, 10-20% - LIQUICHLOR

Synonyms : Sodium Hypochlorite - 18, Hypo, Liquid Bleach, Bleach,

Hypochlorite, Liquid Chlorine Solution, Javel Water

Chemical Family : Hypochlorite

Molecular formula : NaOCl

Product Use Description : Swimming pool chlorinator, hard surface cleaner,

mildecide, Water treatment chemical, Biocides, bleach

solutions and bleach fixer solutions

Distributed By: Univar USA Inc. 17425 NE Union Hill Road Redmond, WA 98085 425-889-3400

Emergency Phone Number : US: 1-800-424-9300 - CHEMTREC

CANADA: 1-800-567-7455

SECTION 2. HAZARDS IDENTIFICATION

HMIS Classification : Health Hazard: 3

Flammability: 0

Physical hazards: 2

NFPA Classification : Health Hazard: 3

Fire Hazard: 0

Reactivity Hazard: 1

Emergency Overview

OSHA Hazards : OXIDIZER, UNSTABLE (REACTIVE), CORROSIVE

Immediately Dangerous to Life or Health: Not established for the product.

Potential Health Effects

Primary Routes of Entry: Ingestion, Eyes, Inhalation, Skin Absorption Aggravated Medical Condition : Asthma, Heart disease, Respiratory disorder Inhalation : Inhalation of vapours is irritating to the respiratory system, may cause throat pain and cough.

Inhalation of aerosol may cause irritation to the upper respiratory tract. Higher exposure may cause lung oedema, circulatory collapse and unconsciousness.

Skin : May cause skin irritation and/or dermatitis. Prolonged skin exposure may cause destruction of the dermis with impairment of the skin to regenerate at site of contact.

Eyes : Causes serious eye irritation. Blurred vision May cause impairment of vision and corneal damage UNIVAR USA INC. ISSUE DATE:2009-10-09 Annotation:

Ingestion: Ingestion or inhalation of high concentrations may cause injuries to gastrointestinal tract, liver, kidneys and central nervous system. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Chronic Exposure : Repeated inhalation exposure may cause impairment of lung function and permanent lung damage. Effects from chronic skin exposure would be similar to those from single exposure except for effects secondary to tissue destruction.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IAFC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component CAS-No. Weight % sodium hypochlorite 7681-52-9 10.00 - 20.00 sodium hydroxide 1310-73-2 1.00 - 5.00

SECTION 4. FIRST AID MEASURES

First aid procedures

Eye contact: • IMMEDIATELY flush eyes with plenty of water holding eyelads

apart for at least 15 minutes

Get medical attention IMMEDIATELY.

Skin contact : • Take off contaminated clothing.

Rinse skin immediately with plenty of water for

15-20 minutes.

Call a poison control center or doctor for

treatment advice.

Ingestion : • Call a poison control center or doctor immediately for

treatment advice.

Have person sip a glass of water if able to

swallow.

. Do not induce vomiting unless told to do so by the

poison control center or doctor.

Do not give anything by mouth to an unconscious

person.

Inhalation : • Move person to fresh air.

If breathing is difficult oxygen may be beneficial

if administered by trained personnel.

If breathing has stopped, apply artificial

respiration.

• Call a physician or poison control center

IMMEDIATELY.

INIVAR USA INC. SSUE DATE:2009-10-09 unnotation:

General advice

 Have the product container or label with you when calling a poison control center or doctor or going for

treatment.

Show this safety data sheet to the doctor in

attendance.

Notes to physician

Comments :

· Probable mucosal damage may contraindicate the use of

gastric lavage.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties

: not applicable Flash point Lower explosion limit : not applicable Upper explosion limit : not applicable

Fire fighting

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

On small fire, use dry chemical, carbon dioxide or water spray.

On large fires, use water in flooding quantities as fog.

Unsuitable extinguishing media : Do not use Mono Ammonium Phosphate (MAP) type extinguishers directly on this product

Further information : Cool containers / tanks with water spray. Protective equipment and precautions for firefighters

Specific hazards during fire fighting : Corrosive

Special protective equipment for fire-fighters : Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to: boots gloves, hard hat, splash-proof goggles, full face shield and impervious clothing, i.e. chemically impermeable suit.

Compatible materials for response to this material are neoprene and butyl rubber.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Restrict access to affected area.

Use personal protective equipment.

Use NIOSH approved respiratory protection. Keep people away from and upwind of spill/leak.

Methods for containment / : Try to prevent the material from entering drains or water courses.

Methods for cleaning up Prevent further leakage or spillage if safe to do

Inform the responsible authorities in case of gas leakage, or of entry into waterways, soil or drains.

Will form hazardous reaction products

Suppress (knock down) gases/vapours/mists with a water spray jet. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a suitable container for disposal according to local / state / province/national regulations (see section 13).

Additional advice: Dispose of as hazardous waste in compliance with local, province, state and federal regulations.

You are requested to contact the emergency numbers listed below before beginning any such operation.

FOR ALL ACCIDENTS, CALL CHEMTREC AT 800-424-9300 OR CANADA AT 1-800-567-7455.

SECTION 7. HANDLING AND STORAGE

Handling

Handling : Personnel working with this chemical should be trained on its hazards.

Avoid contact with skin and eyes.

Do not ingest.

Avoid inhalation of vapour or mist.

Wear personal protective equipment.

For personal protection see section 8.

Advice on protection against fire : Normal measures for preventive fire protection. and explosion

Storage

Requirements for storage areas and containers : Do not freeze.

Store in a cool and shaded area. Keep in a well-ventilated place.

To maintain product quality, do not store in heat or direct sunlight.

Decomposition rate increases as it is heated.

Keep in properly labeled containers. Keep container closed when not in use.

Store at temperatures not exceeding: 86 F (30 C)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

Components CAS-No. Value Control Update Basis

parameters

sodium hydroxide 1310-73-2 CEIL 2 mg/m3 1994-09-01 ACGIH TWA 2 mg/m3 1993-06-30 OSHA P1

Engineering measures

Engineering measures : Use local exhaust ventilation to maintain levels to below the PEL.

Personal protective equipment

Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location. Chemical resistant goggles must be worn.

Skin and body protection : Boots. Full protective suit Wear protective gloves.

Respiratory protection : Sudden release of chlorine hazard. If air concentrations above the PEL are possible, wear a NIOSH approved respirator. Wear respiratory equipment when entering the spray area.

UNIVAR ÚSA INC. ISSUE DATE:2009-10-09 Annotation:

Hygiene measures : • General industrial hygiene practice.

Suitable material

Boots. Neoprene butyl-rubber

Gloves Neoprene butyl-rubber PVC:

Protective suit Neoprene butyl-rubber PVC

Viton

Saranex®

Viton ® Viton ®. Saranex® Saranex®

The listed materials are guidelines only and there are numerous PPE alternatives depending on the site specifics of where the chemical is used. You should always consult with your PPE supplier for the correct tested material. Before using this chemical you should be aware of its hazards and be knowledgeable of emergency procedures in the event of a spill.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES Appearance

Form : liquid

yellow to yellowish green pungent Color :

Odor :

Safety data

not applicable Flash point :

Lower explosion limit : not applicable Upper explosion limit : not applicable Upper explosion limit : not applicable Autoignition temperature : not appl

not applicable

Molecular Weight: 74.5 g/mol : 12 - 14 at 77 F (25 C)

: -17 F (-27 C) 16% Solution Freezing point

Boiling point/boiling range : Decomposes on heating.

Vapor pressure : 12 mmHg at 68 F (20 C) 12.5% Solution
Bulk density : not applicable
Water solubility : completely miscible
Evaporation rate : no data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : High heat, sunlight and ultra-violet light

Oxidizing agents, Acids, Nitrogen containing Materials to avoid 5 organics, Metals, Iron, Copper, Nickel, Cobalt, Organic materials, Ammonia

Hazardous decomposition products : Decomposition will result in the formation of oxygen from contact with copper, nickel, cobalt and iron solids such as rust. Decomposition rate increases as it is heated. May develop chlorine if mixed with acidic solutions.

Thermal decomposition : Decomposition rate increases as it is heated. Hazardous polymerization : Does not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Human Threshold Response

Odor threshold : approximately 0.9 mg/m3 (0.3 ppm) pungent

Irritation Threshold : no data available

Immediately Dangerous to Life or Health: Not established for the product.

UNIVAR ÚSA INC. ISSUE DATE:2009-10-09 Annotation:

Animal Toxicology

Acute oral toxicity : LD50 rat

Dose: 3 - 5 g/kg

: LC50

Acute dermal toxicity : LD50 rabbit

Dose: > 2 g/kg

Acute inhalation toxicity

no data available

SECTION 12. ECOLOGICAL INFORMATION

Acute Fish toxicity : LC50 Bluegill sunfish: 2.90 mg/L

Exposure time: 96 Hour

LC50 Pimephales promelas (fathead minnow): 1.40 mg/L

Exposure time: 96 Hour

LC50 Oncorhynchus mykiss (rainbow trout): 0.90 mg/L

Exposure time: 0.5 Hour

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Classification : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following:

Further information: If this product becomes a hazardous waste, it will be a hazardous waste which is subject to the Land Disposal Restrictions under 40 CFR 268 and must be managed accordingly.

Dispose of as hazardous waste in compliance with local, province, state and federal regulations.

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THIS MATERIAL. THE USER OF THIS MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, PROVINCE, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NON HAZARDOUS WASTES.

SECTION 14. TRANSPORT INFORMATION

DOT Proper shipping name: Hypochlorite Solutions

UN-Number: UN1791

Class: 8
Packing group: III
Hazard Labels/Placard: 8
Emergency Response: 154

Guidebook Number

Hazard Labels/Placard:

Reportable Quantity: 100 LB

(Per 49 CFR 172.101, Appendix)

TDG CLR

Proper shipping name: Hypochlorite Solutions

UN-Number: UN1791
Class: 8
Packing group: III

IATA

UN-Number: UN17

Description of the goods: Hypochlorite Solutions

Class: 8
Packaging group: III
ICAO-Labels: 8

VAR USA INC. SSUE DATE:2009-10-09 Annotation:

IMDG

UN-Number:

Description of the goods:

Hypochlorite Solutions

Packaging group: IMDG-Labels:

TII

Marine pollutant:

See regulations for further information.

FOR ALL ACCIDENTS, CALL CHEMTREC AT 800-424-9300 OR CANADA AT 1-800-567-7455.

SECTION 15. REGULATORY INFORMATION

CANADIAN CLASSIFICATION

WHMIS Classification

: E Corrosive Material

NPRI Components

Hypochlorous acid, sodium salt

Sodium hydroxide (Na(OH)) 1310-73-2

Canadian National Pollutant Release Inventory (NPRI): No component is listed on NPRI.

This product has been classified according to the hazard criteria of the JPR and the MSDS contains all of the information required by the CPR.

US CLASSIFICATION

OSHA Hazards:

Oxidizer, Unstable (reactive), Corrosive

CERCLA:

100 lbs

SARA 311/312 Hazards:

Acute Health Hazard Chronic Health Hazard

Reactivity Hazard

ECPRA - Emergency Community Planning Right-to-Know SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title Ill, Section 302.

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title Ill, Section 313.

US STATE REGULATIONS

Massachusetts Right To:

Hypochlorous acid, sodium salt

7681-52-9

7681-52-9

Know Components

1991-07-01

1310-73-2 Sodium hydroxide (Na(OH))

1991-07-01

Pennsylvania Right To Know: Hypochlorous acid, sodium salt

Components

1991-07-01

1310-73-2

Sodium hydroxide (Na(OH))

1991-07-01

Sodium chloride (NaCl) 7647-14-5

Water 7732-18-5 Carbonic acid disodium salt 497-19-8

MSDS NO: 0X76685 VERSION:001 2009-12-21

New Jersey Right To Know:

Water 7732-18-5

Components

Hypochlorous acid, sodium salt

7681-52-9

1991-07-01

Sodium chloride (NaCl) 7647-14-5

1310-73-2 Sodium hydroxide (Na(OH))

1991-07-01

California Prop 65 Components: This product is not listed, but it may centain elements known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act.

GLOBAL INVENTORIES

The components of this product are reported in the following inventories:

On the inventory, or in compliance with the inventory EINECS

TSCA On TSCA Inventory

AICS On the inventory, or in compliance with the inventory

DSL All components of this product are on the Canadian DSL list.

ENCS On the inventory, or in compliance with the inventory

KECI On the inventory, or in compliance with the inventory PICCS On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory

NZIoC On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION